

THINGS TO KNOW

Ageless MD

BEFORE FILLER



SCHEDULE 3-4 WEEKS BEFORE ANY EVENTS



AVOID TAKING ASPIRIN/IBUPROFEN OR BLOOD THINER SUPPLEMENTS 1 WEEK BEFORE & AFTER TO PREVENT BLEEDING



AVOID ALCOHOL FOR 24 HOURS BEFORE AND AFTER



NO RETINOL/ACTIVES FOR 24 HOURS BEFORE & AFTER



INFORM PROVIDER OF HISTORY OF COLD SORES



EXPECT SOME BRUISING, USE ARNICA PRODUCTS IF IT OCCURS



RESCHEDULE YOUR APPOINTMENT AT LEAST 24 BUSINESS HOURS IN ADVANCE IF YOU HAVE SEVERE RASH, COLD SORE OR BLEMISH IN THE TREATMENT AREA

AFTER FILLER



NO TOUCHING / MAKEUP / APPLYING PRESSURE TO TREATED AREA FOR 12 HOURS



AVOID SWEATY WORKOUTS FOR THE FIRST 24 HRS



BRUISING & SWELLING CAN LAST UP TO 2 WEEKS, YOU CAN ICE TO REDUCE SWELLING OR USE ARNICA PRODUCTS



NO FACIAL OR MASSAGE FOR THE FIRST 7 DAYS



BE PATIENT. ANY ADJUSTMENT CAN BE MADE AFTER 14 DAYS



CONTACT US FOR ANY CONCERNS